## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



## PLANTS COLLECTED AND FOR SALE By F. M. CRAYTON & SONS BILTMORE, N. C., U.S.A. By F. M. CRAYTON & SONS BILTMORE, N. C., U.S.A. By F. M. CRAYTON & SONS BILTMORE, N. C., U.S.A.

, ; , ,												
EVERGREEN TR				T 1000	HERBACEOUS PER		LS		A conitum realing turn		Per 500 \$ 8.00	
Abies Frasherii	6-12 in.		\$ 20.00	\$ 35.00	(All Strong Plan	Per 100	Per 500	Per 1000	Aconitum reclinatum	2.00	8.00	10.00
Pieris floribunda (Andromeda floribunda)	1-2 ft.	100.00	400.00	700.00	Actea albaAgrimonia mollis	2.00	8.00 8.00	10.00 10.00	Opuntia vulgaris		10.00 10.00	15.00 15.00
Gordonia lasianthus		25.00	100.00		Aletris farinosa	. 2.00	8.00	10.00	Pachysandra prucumbensterminalis		10.00 $10.00$	15.00 15.00
Ilex glabra		. 10.00 15.00	40.00 50.00	90.00	Allium cernumAmianthium muscotoxicum	2.00	8.00 8.00	10.00 10.00	Panax quinquifolia (Ginseng)	5.00	15.00	20.00
Kalmia angustifolia	1-3 ft.	8.00 25.00	30.00 100.00	50.00	Amsonis taber-montanumAnemona canadensis	2.00	8.00 8.00	10.00	Phlox amœna		8.00	10.00 10.00
" Cuniata		10.00	40.00	75.00	" virginiana	2.00	8.00	10.00 10.00	" ovata	2.00	8.00	10.00
Leophylum buxifolia		35.00 15.00	150.00 50.00		Angelica curtisiiApocynum androsemifolus	2.00	8.00 8.00	10.00 10.00	" reptans " subulata		4.00 8.00	6.00 10.00
Leucothœ catesbæii	√2-1 ft.	15.00	50.00	90.00	Aculegia canadensis	2.00	8.00	10.00	Physostegia virginica	2.00	8.00	15.00
Magnolia glauca		35.00 20.00	150.00 75.00	275.00 125.00	Aralia nudicalis		8.00 8.00	10.00 10.00	Podophylla peltatumPolygala senaga		8.00	10.00 <b>1</b> 5.00
Pachystima canbyii	$\frac{1}{2}$ -1 ft.	15.00	50.00	90.00	Ariasæma triphyllum	2.00	8.00	10.00	Pontederia cordataPotentilla tridentata	3.00	10.00 10.00	15.00 15.00
Picea rubra Rhododendron Caroliner		10.00 15.00	40.00 50.00	75.00 90.00	Aristolochis serpentaria Aruncus aruncus (Aruncus decandra)		8.00 8.00	10.00 10.00	Rudbeckia hirta	2.00	8.00	10.0
" " ——	1½-3 ft		200.00	375.00	Asarum arifolia	2.00	8.00	10.00	" laciniata " triloba	2.00	8.00 8.00	10.00 10.00
" catabensis " maximum	$\frac{1}{2}$ -1 It. $\frac{1}{2}$ -1 ft.	20.00 15.00	75.00 50.00	175.00 90.00	" canadensis	2.00	8.00 8.00	10.00 10.00	Sagittaria latifolia	_ 2.00	8.00	10.00
"	1-2 ft.	30.00	140.00		Asclepias incarnatum		8.00	10.00	Sanguinaria canadensis		8.00 8.00	10.00 15.00
Tsuga caroliner	4-8 in.	40.00 10.00	190.00 40.00	375.00 75.00	" quinquifolia " tuberosa	2.00	8.00 8.00	15.00 15.00	" . purpurea	2.00	8.00	10.00
" canadensis	8-18 in.	15.00 10.00	50.00 40.00	90.00 75.00	Aster concolor curtsii		8.00 8.00	10.00 10.00	" rubra Scutellaria argenta		8.00 8.00	10.00 10.00
DECIDUS TRE				75.00	" gracilis	2.00	8.00	10.00	" cordifolia	2.00	8.00	10.00
		Per 100	Per 500	Per 1000	" macrophylla " novæ-angliea		8.00 8.00	10.00 10.00	" montanaSedum nevii		8.00 15.00	10.00 25.00
Acer rubra	1-3 ft.	\$ 2.00	\$ 8.00	\$ 10.00	" punicea	2.00	8.00	10.00	" pulchellum	3.00	10.00	15.00
Alnus rugosaAmelancher botyrapium	1-3 ft.	2.00 3.00	8.00 10.00	10.00 15.00	Asilbe decandraBaptisia tinctoria	2.00	8.00 8.00	10.00 10.00	" telephoides		8.00 8.00	10.00 10.00
" canadensis	1-3 ft.	3.00	10.00	15.00	Calthia palustris	3.00	10.00	15.00	Shortia galicifolia	_ 5.00	15.00 8.00	25.00 15.00
Azalea arborescens		10.00 10.00	40.00 40.00	75.00 75.00	Campanula divaricatarotundifolia	2.00	8.00 8.00	10.00 10.00	Silene stellata		8.00	10.00
" lutea " nudiflora	1-3 ft.	10.00 10.00	40.00 40.00	75.00	Carex frasherii	3.00	12.00	20.00	Smilacena racemosaSolidago cordat	_ 2.00	8.00 8.00	10.00 10.00
" vaseyii		10.00	40.00	75.00 75.00	Cassia marylandicaCaulophyllum thalictroides	2.00	8.00 8.00	10.00 15.00	" curtsii		8.00	10.00
" viscosa Betula linta		10.00	40.00	75.00	Chamelirium leutum	2.00	8.00	10.00	" odorus		8.00 8.00	10.00 10.00
" lutea		2.00 2.00	8.00 8.00	10.00 10.00	Chelonia glabra		8.00 8.00	10.00 10.00	" rugosa		8.00	10.00
" nigra		2.00	8.00	10.00	Chrysogonum virginicum	2.00	8.00	15.00	Spigelia marilandca	_ 3.00	10.00 8.00	15.00 10.00
Bignonia crucigera		5.00 2.00	20.00 8.00	35.00 15.00	Cimicifuga canadensisracemosa		8.00 8.00	15.00 10.00	Steironema ciliataStenanthum robusta		10.00	15.00
Comptonia peregrina		3.00	12.00	20.00	Claytonia virginica	2.00	8.00	15.00			8.00 8.00	10.00 15.00
" paniculata	1-3 ft.	3.00 3.00	12.00 12.00	20.00	Clintonia borealisCollinsonia canadensis	2.00	8.00 8.00	10.00 10.00	Thalictrum purpurescens		8.00	15.00
Corylus americana		2.00 2.00	8.00	15.00	Convolaria magalis	2.00	8.00	10.00	Tiorilla cordifolia		8.00 8.00	15.00 15.00
Euonymus Americana	1-3 ft.	2.00	8.00 8.00	10.00	Coreopsis arculata		8.00 8.00	10.00 10.00	Tradescantia montana		8.00	10.00
Fothergilla caroliner		5.00 5.00	20.00 20.00	35.00	" integrifolia	2.00	8.00	10.00	" virginiana		8.00 8.00	10.00 15.00
Gaylussacia dumosa	1-2 ft.	2.00	8.00	10.00	Cypripedum acaulis parviflorium	2.00	8.00 8.00	15.00 15.00	Trilium erectum	2.00	8.00	15.00
resinosa 1 Gelsemium sempervirens 1		2.00 5.00	8.00 20.00	10.00 35.00	Dicentra cucularia	2.00	8.00	15.00			8.00	15.00 10.00
Hussonia montana (very rare)	4-8 in.	25.00	100.00	175.00		2.00	8.00 8.00	15.00 15.00	Typha latifolia	2.00	8.00	10.00
Hydranger arborescens 1  "quercifolia 1		2.00 5.00	8.00 20.00	15.00	Equisetum hyemæle Eryngum yuccifolia	2.00	8.00	10.00			8.00 8.00	10.00 10.00
" radiata 1	l-2 ft.	2.00	8.00	15.00	Eupatorium celestinum	2.00	8.00 8.00	10.00 10.00	" grandiflora	_ 2.00	8.00	10.00
Hypericum densiflora buckleyii	1-2 ft. 1⁄2-1 ft.	2.00 3.00	8.00 12.00	10.00	" purpureumEuphorbia corulata	2.00	8.00 8.00	10.00 10.00	" perfoliata Vernonia noveborænsis		8.00 8.00	
" lobocarpon	1-2 ft.	2.00	8.00	10.00	Galax aphylla	2.00	8.00	10.00	Veronica officinalis	2.00	8.00	10.00
" nudiflora I		2.00 2.00	8.00 8.00	10.00	Gaultheria prucumbens Geranium maculatum	. 2.00 . 2.00	8.00 8.00	10.00 10.00	" virginica Vinca minor		8.00 8.00	
Lirodendron tulipfera	1-2 ft.	2.00	8.00	10.00	Helenium autumnale	2.00	8.00	10.00	Viola canadensis	_ 2.00	8.00	
Menziesia pilosa 1 Myrica carolinensis 1	1-2 ft. 1-2 ft.	5.00 3.00	15.00 12.00	20.00	Helianthus angustifolia atrubens		8.00 8.00	10.00 10.00			8.00 4.00	6.00
" pumila	1-2 ft.	3.00	12.00	20.00	" dowellianus	2.00	8.00	10.00	" striata	_ 2.00	8.00	10.00
Oxydendron arborea	2-5 ft.	2.00 3.00	8.00 12.00	10.00 20.00	" longifolius		8.00 8.00	15.00 10.00		TD: 100	D. 500	D 1000
Platanus occidentalis	1-2 ft.	2.00	8.00	10.00	" occidentalis	2.00	8.00	10.00			Per 500 \$ 8.00	
" glabra	1-3 ft.	2.00 2.00	8.00 8.00	10.00 10.00	Helonias bullata Hemrocallis dumortierii		8.00 8.00	10.00 15.00	Clematis coccinea	_ 3.00	10.00	
" hirta " pumila (Michuxi)		2.00 5.00	8.00	10.00	" fulva	2.00	8.00	10.00	" viorna " virginianum	_ 2.00 _ 2.00	8.00	
Robinia hispida	1-2 ft.	2.00	20.00 8.00	35.00 15.00	" thumbergii Hepatica acutiloba		8.00 8.00	10.00 10.00	Decumaria barbara Gelsemium sempervirens	_ 3.00	10.00 20.00	
" viscosa Rosa caroliner		3.00 2.00	10.00 8.00	20.00 10.00	Heuchera americana " villosa	2.00	8.00	10.00	Lonicera flava	_ 3.00	10.00	15.00
" humilis	1-2 ft.	2.00	8.00		Hydrophyllum macrophylum	2.00	8.00 8.00	10.00 10.00	" sempervirens Passiflora incarnatum	_ 3.00 _ 3.00	10.00 10.00	
Rubus hispidas	strong	2.00 2.00	8.00 8.00	10.00 10.00	Ipomiæ pondeirataIris crustata	2.00	8.00 8.00	10.00 10.00	Smilax hispida	_ 2.00	8.00	10.00
" odoratas	strong	2.00	8.00	10.00	" verna		8.00	10.00		_ 3.00	10.00	15.00
Salix humilis	1-3 ft. 1-2 ft	2.00 2.00	8.00 8.00	10.00 10.00	" versicolor Liatris pycnastaya	2.00	8.00 10.00	10.00 15.00		Per 100	Per 500	Per 1000
Sanbucus canadensis	1-3 ft.	2.00	8.00	15.00	" scariosa	. 3.00	10.00	15.00		_ \$ 2.00	\$ 8.00	\$ 10.00
" pubens Spiræa salicifolia		5.00 2.00	20.00 8.00	35.00 15.00	" squarrosa Lilium carolinianum	3.00	10.00 15.00	15.00 25.00	Asplenium Felix-Fæmina palmatum		8.00 8.00	
" tomentosa	1-3 ft.	2.00	8.00	10.00	" grayii	6.00	20.00	35.00	" platynura	_ 2.00	8.00	10.00
Stuartia Pentygima	1-3 it. <b>1-</b> 3 ft.	5.00 5.00	20.00 20.00	35.00 35.00	" superbum Lobelia cardinalis		15.00 8.00	25.00 15.00	Comptosorum Rhizophyllus		8.00 8.00	
Vaccinum erythrocarpon	1-2 ft.	3.00	10.00	15.00	Lysmmachia fraserii	2.00	8.00	15.00	Dryopteris marginalis	2.00	8.00	10.00
" corymbosum " palidum	1-2 ft. 1-2 ft.	3.00 3.00	10.00 10.00	15.00 15.00	" nummularis Marshallia grandiflora	3.00	8.00 10.00	15.00 15.00	" spinulosa Ligodum palmatum			
" staminum	1-2 ft.	2.00	8.00	10.00	Medeola virginica	2.00	8.00	15.00	Onoclea sensiblia	2.00	8.00	10.00
Viburnum cassonides dentatum		2.00 2.00	8.00 8.00	15.00 15.00	Mintha piperita		8.00 8.00	10.00 10.00	Osmonda cinimomea			
" nudum	1-3 ft.	2.00	8.00	15.00	Mertensia virginica	2.00	8.00	15.00	" regalis	2.00	8.00	10.00
" prunifolia	2-4 ft.	2.00 3.00	8.00 10.00	15.00 20.00	Monarda didyma		8.00 8.00	15.00 10.00	Polypodum vulgarisPolystichum acrustichoides			
Xanthorrhiza apifolia	1-2 ft.	2.00	8.00	10.00	Mysotis palustris	1.00	4.00	6.00	Peteris aqulina	2.00	8.00	10.00
Xolisma ligustrina	1-3 It.	2.00	8.00	10.00	Nymphæa advena	2.00	8.00	15.00	Woodsia obtusa	2.00	8.00	10.00

